

 www.gbfluidsmachinery.com
 gbtechindore@gmail.com

HANDHELD

THERMAL INK JET 12.7MM PRINTER

KEY SPECIFICATION

- ▶ **CPU-Quad core**
1.4GHz
- ▶ **Operating System**
Linux
- ▶ **Print Resolution**
600DPI Maximum
- ▶ **Battery**
2500mAh DC 16.8V
- ▶ **Print Height**
2-12.7mm
- ▶ **Print Media**
Boards, Carton,
Pipe, Cable, Plastic,
Metal, Electronic,
Automotive parts
- ▶ **Print Distance**
Best quality with 2.5mm
- ▶ **Interface**
USB, Photocell
- ▶ **Dimension**
225x135x110mm
- ▶ **Material Of Printer**
ABS+Metal
- ▶ **Weight**
GW 0.7KG
- ▶ **Supported Languages**
Language-English, Chinese,
Japanese, Turkish, Arabic,
Korean, Spanish, French and so on



GB Fluids & Machinery (P) Ltd.

© MSA- 414 New Siyaganj, Indore-452007 (MP)
☎ +91- 971333 9138, +91- 91122 4726
🌐 www.gbfluidsmachinery.com
✉ gbtechindore@gmail.com

INKJET PRINTER

900 Series

KEY SPECIFICATION

► Ideal for:

- Food Processing industry.
- Large Automated Bakery factories.
- Beverages both packaged drinking water & fruit beverages.
- Automobile component Manufacturers.
- Sanck foods.
- Ice Cream & Dairy Products.
- Agro Chemicals & Organic Processing units.
- Gerking & tinned food industries.
- Cable & Pipe Industry.

► Advantages & Benefits

- Easy to use & Maintain
- Bulk ink System
- Auto flushing of print head.
- Auto visco controls.
- Ideal for harsh environments.
- High speed printing.
- Large WYSWYG Backlit display.
- 10.1 inch Touch Screen Display with vivid icon interface
- up to 5 line of print
- line speed up to 320 M/Min. with Single line by 5x5 font size

Wide range of ink colors.

White

Yellow

Red

Blue

Green

Brown


Black



Fast Editing



Touchable Screen



Wide Application



GB Fluids & Machinery (P) Ltd.

MSA- 414 New Siyaganj, Indore-452007 (MP)

+91- 971333 9138, +91- 911122 4726

www.gbfluidsmachinery.com

gbtechindore@gmail.com

HANDHELD

THERMAL INK JET 25.4 MM PRINTER

KEY SPECIFICATION

- ▶ **CPU-Quad core**
1.4GHz
- ▶ **Operating System**
Linux
- ▶ **Print Resolution**
600DPI Maximum
- ▶ **Battery**
2500mAh DC 16.8V
- ▶ **Print Height**
2-25.4mm
- ▶ **Print Media**
Boards, Carton,
Pipe, Cable, Plastic,
Metal, Electronic,
Automotive parts
- ▶ **Print Distance**
Best quality with 2.5mm
- ▶ **Interface**
USB, Photocell
- ▶ **Dimension**
225x135x110mm
- ▶ **Material Of Printer**
ABS+Metal
- ▶ **Weight**
GW 0.7KG
- ▶ **Supported Languages**
Language-English, Chinese,
Japanese, Turkish, Arabic,
Korean, Spanish, French and so on



GB Fluids & Machinery (P) Ltd.

☎ MSA- 414 New Siyaganj, Indore-452007 (MP)
☎ +91- 971333 9138, +91- 91122 4726
🌐 www.gbfluidsmachinery.com
✉ gbtechindore@gmail.com

HANDHELD

THERMAL INK JET 50.2 MM PRINTER

KEY SPECIFICATION

- ▶ **CPU-Quad core**
1.4GHz
- ▶ **Operating System**
Linux
- ▶ **Print Resolution**
600DPI Maximum
- ▶ **Battery**
2500mAh DC 16.8V
- ▶ **Print Height**
2-50.2mm
- ▶ **Print Media**
Boards, Carton,
Pipe, Cable, Plastic,
Metal, Electronic,
Automotive parts
- ▶ **Print Distance**
Best quality with 2.5mm
- ▶ **Interface**
USB, Photocell
- ▶ **Dimension**
250x120x130mm
- ▶ **Material Of Printer**
ABS+Metal
- ▶ **Weight**
GW 0.7KG
- ▶ **Supported Languages**
Language-English, Chinese,
Japanese, Turkish, Arabic,
Korean, Spanish, French and so on




GB Fluids & Machinery (P) Ltd.

● MSA- 414 New Siyaganj, Indore-452007 (MP)
☎ +91- 971333 9138, +91- 91122 4726
● www.gbfluidsmachinery.com
● gbtechindore@gmail.com

ONLINE TIJ

KEY SPECIFICATION

- ▶ QR CODE WITH PICTURE
 - ▶ INTERFACE SCALE LABEL
 - ▶ BARCODE FONT ADJUSTMENT
 - ▶ RESOLUTION ADJUST FLEXIBLY
-
- ▶ PRINTING SPEED UP TO 406M/MIN
 - ▶ WIRELESS KEYBOARD AND MOUSE CONTROL
 - ▶ ANTI-COUNTERFEITING TRACE DATA PRINTING
 - ▶ INDEPENDENT NOZZLE MAKES FLEXIBLE AND EFFICIENT
 - ▶ CALCULATE PRINTING COSTS IN REAL TIME
 - ▶ GS1 INTERNATIONAL MEDICINE MONITOR CODE
-
- ▶ INDUSTRIAL GRADE 5 INCH TOUCH SCREEN
 - ▶ SNAP-ON CARTRIDGE, MORE SIMPLE AND RELIABLE
 - ▶ ADJUSTABLE INKJET CONCENTRATION TO MEET DIFFERENT NEEDS
 - ▶ SUPPORT LARGE CAPACITY INK BAGS AND CONTINUOUS INK SUPPLY SYSTEM
 - ▶ MULTIPLE BRACKETS ALONG WITH VARIOUS INSTALLATION METHODS TO CHOOSE
 - ▶ EASILY MATCH THE WEIGHING MACHINE PACKING AND PAGING MACHINE



GB Fluids & Machinery (P) Ltd.

● MSA- 414 New Siyaganj, Indore-452007 (MP)
☎ +91- 971333 9138, +91- 91122 4726
● www.gbfluidsmachinery.com
● gbtechindore@gmail.com

Laser Printer

KEY SPECIFICATION

- ▶ **Laser type**
Ytterbium Fiber Laser
(Multi Diode EP)
- ▶ **Wavelength**
1060 - 1070 nm
- ▶ **Laser Power**
30 WATTS
- ▶ **Pulse Peak Power**
>8 KW
- ▶ **Locate Mode**
Automatic Red Light
Focusing, Positioning,
Preview
- ▶ **File Format**
JPEG, Bitmap, DXF,
PLT, Tajima DST,
Gerber bot, 2D Matrix
- ▶ **Name**
Pipe Marking Machine Open Body
SLFL-C30MX180ACOP
- ▶ **Character Height**
0.2 mm
- ▶ **Number of annotation Lines:**
Unlimited
- ▶ **Production line speed**
0-300 Meters/Min.*
(depending on Material)
- ▶ **Characters Per Second**
Up to 12000 mm / sec.
- ▶ **Minimum Line Width**
0.01mm



G.B Fluids & Machinery (P) Ltd.

● MSA- 414 New Siyaganj, Indore-452007 (MP)
● +91- 971333 9138, +91- 911122 4726
● www.gbfluidsmachinery.com
● gbtechindore@gmail.com

CONVEYOR BELT MACHINE 8 IN X 5FT

KEY SPECIFICATION



**Stainless Steel
Material**



Easy to install



Online Operation



Adjustable speed

► **Product Name**
Inkjet conveyor

► **Power used**
90w

► **Belt width**
190mm

► **Conveying speed**
0-20m/Min Adjustable

► **Voltage**
220V/50Hz

► **Usage**
Production line

► **Rated Power Supply**
AC220V 50HZ

► **Load Bearing Line**
8kg

► **Machine Size**
1500x2500x700mm

► **Belt Material**
Stainless steel

► **Machine Weight**
23kg

► **Packing size**
155x34x22cm



G.B. Fluids & Machinery (P) Ltd.

● MSA- 414 New Siyaganj, Indore-452007 (MP)

☎ +91- 971333 9138, +91- 911122 4726

● www.gbfluidsmachinery.com

● gbtechindore@gmail.com

CONVEYOR BELT MACHINE 12 IN X 5FT

KEY SPECIFICATION



**No Maintenance
Needed**



Easy to install



**Convenient
Transmission**



Easy to Operate

► **Product Name**
Inkjet conveyor

► **Core Components**
Motor, Bearing

► **Belt width**
250mm

► **Conveying speed**
0-20m/Min Adjustable

► **Voltage**
220V

► **Material Feature**
Heat Resistant

► **Motor**
Gear Motor

► **Weight(KG)**
15kg

► **Machine Size**
1500x300x750mm

► **Belt Material**
Rubber

► **Machine Weight**
15kg

► **Mode of Speed Control**
Infinitely adjustable speed



G.B. Fluids & Machinery (P) Ltd.

MSA- 414 New Siyaganj, Indore-452007 (MP)

+91- 971333 9138, +91- 911122 4726

www.gbfluidsmachinery.com

gbtechindore@gmail.com

STACKER CONVEYOR MACHINE 12 IN X 5FT

KEY SPECIFICATION



**No Maintenance
Needed**



Easy to install




**Convenient
Transmission**



Easy to Operate

- ▶ **Product Power**
120 w
- ▶ **Type**
Wrapping Machine
- ▶ **Belt width**
340mm
- ▶ **Sealing speed**
1000CT/h
- ▶ **Voltage**
220V
- ▶ **Scope of application**
Plastic bags, Paper Boxes,
Paper Bags, Labels, Paper
Chips, IC Card, etc
- ▶ **Paging Mode**
Automatic
- ▶ **Running Speed**
Electric
- ▶ **Machine Size**
1450x480x895mm
- ▶ **Smallest Sealing**
140x150mm(WxH)
- ▶ **Machine Weight**
15kg
- ▶ **Page Product Size**
Length : 90-330mm
Thickness: 0.1-5mm



G.B. Fluids & Machinery (P) Ltd.

- MSA- 414 New Siyaganj, Indore-452007 (MP)
- +91- 971333 9138, +91- 91122 4726
- www.gbfluidsmachinery.com
- gbtechindore@gmail.com

WINDER REWINDER

KEY SPECIFICATION

Specifications

- AC Drive: 2HP
- AC Motor: 2HP
- Web Width: 150mm to 500mm
- Rw/Uw Shaft: Expander Roll / Taper Cone
- Maximum Design Speed: 150MPM
- Rw/Uw Core Diameter: 76mm
- Lines speed control: Automatic

Features

- ♦ Cantilever design with minimum power & labour
- ♦ Hydraulic / digital web guide system
- ♦ Tension control by (Auto Tension Control system)
- ♦ Provision for incorporating ink-jet printing system
- ♦ Heavy duty structure for vibration free operation

Applications

The rewinding machine is widely used for offline printing on paper, film, and foil. It enables coding of important information like MFG date, exp. date, batch no, etc. using CIJ, TII, or TTO technology. With high-speed roll-to-roll capabilities, it ensures efficient processing.



G.B. Fluids & Machinery (P) Ltd.

- MSA- 414 New Siyaganj, Indore-452007 (MP)
- +91- 971333 9138, +91- 911122 4726
- www.gbfluidsmachinery.com
- gbtechindore@gmail.com

AUTOMATIC FEEDER W/CONVEYOR

KEY SPECIFICATION

Specifications


- Machine length: 1600mm
- Machine Width: 450mm
- Main Big Conveyor Size: 1000 x 300 mm
- Head Small conveyor size: 400 x 75 mm
- Machine speed: 35mtr/min (Depend upon material)
- Cartoon pouch size Min.: 75 x 50 mm
- Cartoon pouch size Max.: 300 x 300 mm
- A.C Motor: 0.5HP/1440 RPM- Single Phase
- VFD: Delta make

Features

- ♦ Fast paging speed
- ♦ High positioning accuracy
- ♦ Improved production efficiency

Applications

Automatic feeders with conveyors streamline packaging processes for bags, cartons, paper, and labels. They enhance efficiency, accuracy, and productivity in various industries.



G.B. Fluids & Machinery (P) Ltd.

📍 MSA- 414 New Siyaganj, Indore-452007 (MP)

☎ +91- 971333 9138, +91- 911122 4726

🌐 www.gbfluidsmachinery.com

✉ gbtechindore@gmail.com

Thanks You

we look forward for your business.



GB Fluids & Machinery (P) Ltd.

- 📍 MSA- 414 New Siyaganj, Indore-452007 (MP)
- ☎ +91- 971333 9138, +91- 911122 4726
- 🌐 www.gbfluidsmachinery.com
- ✉ gbtechindore@gmail.com



indiamart®

we are also available on indiamart